## HEALTH, SAFETY, AND ENVIRONMENTAL PROCEDURES

## **COSHH ASSESSMENT**

ACTIVITY/PRODUCT TO	NO NONSENSE SURVEY MARKING PAINT (YELLOW) REFERENCE:  Output  DATE:						COSHI			
BE ASSESSED:						IE:	21/01,	/2021		
ORGANISATION:	Humphrey and Stretton Limited									
DESCRIBE THE ACTIVITY OR WORK PROCESS:			Used to	mark the flo	or.					
LOCATON OF PROCESS BEING CARRIED OUT:			ļ	All areas						
IDENTIFY PERSONS AT RISK:	The Operative	Other Employees	Othe Cont		iny isitors		eneral ublic			
EUROPEAN CLASSIFICATION (CLP REGS) (Mandatory from 01/06/15)										
Toxic		<		Corrosive						
Flammable		<		Oxidising						
Gas Under Pressure Danger to Environment										
Explosive		<	<b>(1)</b>	Caution / Irr	itant					
Serious - Long-Term Health Hazard										
	Gas 🗌	Vapou	ır 🗌	Mis	st 🔳		Fume			
TYPE OF HAZARD:	Dust 🗌	Liquic	1 🔘	Soli	d		Other			
STATE THE RISKS TO HEALTH FROM IDENTIFIED HAZARDS:		ermatitis if pro					ising	effect		

				WOI	RKPLACE EXPOS	SURE LIMITS	S (WELS	s)			
INGREDIENT:				SHORT TERM EXPOSURE LIMIT (15 MINS):			LONG TERM EXPOSURE LEVEL (8 HOUR TWA):				
	Acetone					00ppm		500ppm			
		tane				0ppm		600ppm			
I-m	I-methoxy-2-propanol					0ppm		100ppm			
	Butoxy	ethanol/			50ppm			25ppm			
PERSONAL PROTECTIVE EQUIPMENT (TYPE AND STANDARD):											
	Dust Mask					Visor		isor			
	Resp	pirator			required under normal rcumstances		Gla	1CCDC   <b>133</b>		Wear tightly sealed goggles	
	Gle	oves		Wea	r nitrile gloves	Å	Overalls			Wear protective clothing	
		fety twear			Vear safety footwear	!	Ot	Other		Wash hands after handling.	
					FIRST	ΓAID					
ROUTE OF SYMPTOM: FIRST AID TO BE APPLIED:											
EYES	EYES IRRITANT			Rinse opened for several minutes under running water.  If symptoms persist, consult a doctor.							
INGESTI	INGESTION HARMFUL			Drink plenty of water and provide fresh air. Call for a doctor immediately.							
INHALAT	INHALATION HARMFUL		Sı	Supply fresh air; Consult a doctor in case of complaints.							
SKIN		IRRI	IRRITANT Generally, the product does not irritate the skin.								
		PRECAU	TION	S TO B	E TAKEN WHEN	N DEALING \	WITH T	HE FOLL	OWIN	IG:	

FIRE	Extinguishing media: CO2, powder, or water spray. Fight larger fires with water spray or alcohol resistant foam. DO NOT USE water with full jet.								
DISPOSAL	Must not be disposed together with household waste. Do not allow product to reach sewage system.  Disposal must be made according to official regulations.								
SPILLAGE	Do not allow product to reach sewage system or any water course.  Inform respective authorities in case of seepage into water course or sewage system.  Do not allow to enter sewers/ surface or groundwater.  Ensure adequate ventilation.								
STORAGE	Store in a cool location.  Observe official regulations on storing packages with pressurised containers.  Keep container tightly sealed.  Protect from heat and direct sunlight.								
ADDITIONAL CONTROLS TO BE APPLIED (E.G. EXTRACTION, TRAINING, SUPERVISION ETC.):									
IS EXPOSURE ADEQUATELY CONTROLLED?  YES  NO									
RISK RATING FOLLOWING CONTROL MEASURES:  Medium  Medium					m 🔳	Low			
THIS ASSESSMENT CARRIED OUT REVIEWED BY:									
NAME:	Calo	gero Gattuso	SIGNATURE:	Calogero (	logero Gattuso DATE: 2		21/0	21/01/2021	
CONTROL CHECKED B	Day	e Humphrey	SIGNATURE:		D.				