

HEALTH, SAFETY, AND ENVIRONMENTAL PROCEDURES



COSH ASSESSMENT

ACTIVITY/PRODUCT TO BE ASSESSED:	Classic Wax	REFERENCE:	COSH 023
		DATE:	22/01/2021
ORGANISATION:	Humphrey and Stretton Limited		
DESCRIBE THE ACTIVITY OR WORK PROCESS:	Finishing door edges.		
LOCATON OF PROCESS BEING CARRIED OUT:	Manufacturing area		
IDENTIFY PERSONS AT RISK:	The Operative <input checked="" type="checkbox"/>	Other Employees <input checked="" type="checkbox"/>	Other Contractors <input type="checkbox"/>
	Any Visitors <input type="checkbox"/>	General Public <input type="checkbox"/>	

EUROPEAN CLASSIFICATION (CLP REGS) (Mandatory from 01/06/15)

Toxic <input type="checkbox"/>	Corrosive <input type="checkbox"/>
Flammable <input checked="" type="checkbox"/>	Oxidising <input type="checkbox"/>
Gas Under Pressure <input type="checkbox"/>	Danger to Environment <input type="checkbox"/>
Explosive <input type="checkbox"/>	Caution / Irritant <input checked="" type="checkbox"/>

Serious - Long-Term Health Hazard


TYPE OF HAZARD:	Gas <input type="checkbox"/>	Vapour <input type="checkbox"/>	Mist <input type="checkbox"/>	Fume <input type="checkbox"/>
	Dust <input type="checkbox"/>	Liquid <input type="checkbox"/>	Solid <input checked="" type="checkbox"/>	Other <input type="checkbox"/>

STATE THE RISKS TO HEALTH FROM IDENTIFIED HAZARDS: Irritating to skin, will cause lung damage if swallowed.

WORKPLACE EXPOSURE LIMITS (WELS)

INGREDIENT:	SHORT TERM EXPOSURE LIMIT (15 MINS):	LONG TERM EXPOSURE LEVEL (8 HOUR TWA):
Dust (Respirable)	125ppm	100ppm

PERSONAL PROTECTIVE EQUIPMENT (TYPE AND STANDARD):

	Dust Mask	<input type="checkbox"/>			Visor	<input type="checkbox"/>	
	Respirator	<input checked="" type="checkbox"/>	Not needed if used in a ventilated area.		Glasses	<input checked="" type="checkbox"/>	Wear safety glasses
	Gloves	<input checked="" type="checkbox"/>	Wear nitrile gloves		Overalls	<input checked="" type="checkbox"/>	Wear Protective overalls
	Safety Footwear	<input checked="" type="checkbox"/>	Wear safety footwear		Other	<input checked="" type="checkbox"/>	Wash hands when finished using product

FIRST AID

ROUTE OF EXPOSURE:	SYMPTOM:	FIRST AID TO BE APPLIED:
EYES	IRRITANT	Bathe the eye with running water for 15 minutes. Consult a doctor. There may be irritation and redness. The eyes may water profusely. Eye bathing equipment should be available on the premises.
INGESTION	HARMFUL	Wash out mouth with water. Consult a doctor. There may be soreness and redness of the mouth and throat.
INHALATION	HARMFUL	Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor. There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.
SKIN	IRRITANT	Remove all contaminated clothes and footwear immediately unless stuck to the skin. Wash immediately with plenty of soap and water. There may be irritation of redness at the sight of contact.

PRECAUTIONS TO BE TAKEN WHEN DEALING WITH THE FOLLOWING:

FIRE	<p>Suitable extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers. In Combustion emits toxic fumes</p> <p>Advice for firefighters: Wear self-contained breathing apparatus.</p>
-------------	---

	Wear protective clothing to prevent contact with skin and eyes. Keep product away from sources of ignition.						
DISPOSAL	Disposal operations: Transfer to a suitable container and arrange for collection by specialist disposal company. Disposal of packaging: Dispose of as normal industrial waste. NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal. Do not empty product into drains.						
SPILLAGE	Absorb into dry earth or sand for stop transfer to a closable, labelled salvage container for disposal by an appropriate method.						
STORAGE	Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed. The floor of the storage room must be impermeable to prevent the escape of liquids. Suitable packaging: must only be kept in original packaging.						
ADDITIONAL CONTROLS TO BE APPLIED (E.G. EXTRACTION, TRAINING, SUPERVISION ETC.):							
IS EXPOSURE ADEQUATELY CONTROLLED?			YES	<input checked="" type="checkbox"/>	NO	<input type="checkbox"/>	
RISK RATING FOLLOWING CONTROL MEASURES:		High	<input type="checkbox"/>	Medium	<input checked="" type="checkbox"/>	Low	<input type="checkbox"/>
THIS ASSESSMENT CARRIED OUT REVIEWED BY:							
NAME:	Calogero Gattuso	SIGNATURE:	<i>Calogero Gattuso</i>	DATE:	22/01/2021		
CONTROLS CHECKED BY:	Dave Humphrey	SIGNATURE:		DATE:			