HEALTH, SAFETY, AND ENVIRONMENTAL PROCEDURES

COSHH ASSESSMENT

ACTIVITY/PRODUCT TO BE ASSESSED:		Wood Filler			DATE:	COSHF 22/01/				
ORGANISATION:	Humphrey and Stretton Limited									
DESCRIBE THE ACTIVITY OR WORK PROCESS:	Filling of minor imperfections									
LOCATON OF PROCESS BEING CARRIED OUT:	Manufacturing area									
IDENTIFY PERSONS AT RISK:	The Operative	Other Employees	Othe Conti	\cup	Any Visitors		eneral ublic			
EUROPEAN CLASSIFICATION (CLP REGS) (Mandatory from 01/06/15)										
Toxic				Corrosive)			
Flammable				Oxidising						
Gas Under Pressure Danger to Environment										
Explosive		Caution / Irritant								
Serious - Long-Term Health Hazard										
TYPE OF HAZARD:	Gas	Vapour (М	list (Fume			
	Dust [Liqu	id 	Sc	olid (Other			
STATE THE RISKS TO HEALTH FROM IDENTIFIED HAZARDS:	Irritating to May cause s	the eyes. skin reaction.								
WORKPLACE EXPOSURE LIMITS (WELS)										
INGREDIENT:		SHORT TERM EXPOSURE LIMIT (15 MINS):			LONG TERM EXPOSURE LEVEL (8 HOUR TWA):					
Dibenzoyl peroxio	de				5 mg/m3					

PERSONAL PROTECTIVE EQUIPMENT (TYPE AND STANDARD):										
	Dust Mask						Visor			
	Respirator			are:	in a confined ea. Use a spirator. With e type A filter		Glasses		Wear eye protection	
	Gle	Gloves		w	ear rubber gloves	Å	Overalls		Wear Protective overalls	
		Safety ootwear			Wear safety footwear		Other		Wash hands after using this product	
FIRST AID										
ROUTE OF SYMPTOM:			:	FIRST AID TO BE APPLIED:						
EYES IRRITANT			Immediately flush eye with plenty of water. Remove contact lenses. Keep eye wide open whilst rinsing. If eye irritation persists, consult a specialist.							
INGESTION HARMFUL			Do not induce vomiting without medical advice. Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.							
INHALATION HARMFUL			Move to fresh air. Consults a physician after significant exposure.							
SKIN IRRITANT		ΓANT		Take off contaminated clothing and shoes immediately. Wash off with soap and water. If symptoms persist, call a physician.						
PRECAUTIONS TO BE TAKEN WHEN DEALING WITH THE FOLLOWING:										
Suitable extinguishing media: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.										
Specific hazards during firefighting: do not allow run off from firefighting to enter water courses.								ng to enter drains or		
Hazardous combustion products: no hazardous combustion products known. Advice for firefighters Special protective equipment: in the event of a fire were self-contained bread apparatus.										

	Additional information for firefighters: Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.											
DISPOSAL	Do not flush into surface water or sanitary sewer system. If the product contaminates rivers, lakes or drains inform respective authorities. The generation of waste should be avoided or minimised wherever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a Safeway. Dispose of surplus a non-recyclable product via a licenced waste disposal contractor. Disposal of this product, solutions and any by products should always comply with the requirements of Environmental Protection a waste disposal legislation an any regional local authority requirement. Avoid dispersal of spilled material with soil waterways drains and sewers. Packaging containing residues of or contaminated by dangerous substances.											
SPILLAGE	Soak up with enact absorbent material - Sand, silica gel, acid binder, universal binder, sawdust. Keep in suitable, closed containers for disposal.											
STORAGE	Handling requirements: Do not breathe vapours or spray mist. Avoid exceeding the given occupational exposure limits. Do not get in eyes, on skin, or on clothing. Persons with a history of skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used for stop eating, smoking, and drinking should be prohibited in the application area. Follow standard hygiene measures when handling chemical products. Handle in accordance with good industrial hygiene and safety practise. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of the workday. Storage conditions: Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully re sealed and kept upright to prevent leakage. Store in accordance with local regulations. No decomposition if stored an applied as directed. Suitable packaging: must only be kept in original packaging.											
ADDITIONAL CONTROLS TO BE APPLIED (E.G. EXTRACTION, TRAINING, SUPERVISION ETC.):												
IS EXPOSURE ADEQUATELY CONTROLLED? YES NO												
RISK RATIN		Mediun	n 🔳	Low								
THIS ASSESSMENT CARRIED OUT REVIEWED BY:												
NAME:	Calogero Gattuso	SIGNATURE:	Calogero Gattuso		DATE:	22/0	1/2021					
CONTROLS CHECKED B	l Dave Humnhrev	SIGNATURE:			DATE:							