



IF THE RISK RATING (RR) IS ABOVE 16 WORK WILL NOT BE ALLOWED TO PROCEED UNTIL CONTROL MEASURES ARE REVIEWED AND REDUCED

Risk Rating (RR)

Severity (S) x Probability (P)

Low Risk = 1-8

Medium Risk = 9-15

High Risk 16-25

Risk Assessment

Personal Protective Equipment

| | | Probability of Incident occurring | | | | |
|------------------|-----------------------|-----------------------------------|---------------|-------------------|---------------|-----------------|
| | | Frequent = 5 | Likely = 4 | Occasional = 3 | Seldom = 2 | Unlikely = 1 |
| Severity Of Harm | Fatality = 5 | 25 | 20 | 15 | 10 | 5 |
| | Major Injury = 4 | 20 | 16 | 12 | 8 | 4 |
| | Reportable to HSE = 3 | 15 | 12 | 9 | 6 | 3 |
| | Minor Injury = 2 | 10 | 8 | 6 | 4 | 2 |
| | First Aid applied = 1 | 5 | 4 | 3 | 2 | 1 |

Hazard Identification and Assessment

| | | | | | | | | | | |
|--|--|------------|------------|------------|---------------------|------------|-------------------------|---------------------------|------------------|-----------------------------|
| Site and Location of work: | Humphrey & Stretton - Stretton House, 20, Pindar Road, Hoddesdon, Herts – EN11 OEU | | | | | | | Risk Assessment No. | RA0018 | |
| Brief description of task or machine: | Personal Protective Equipment | | | Location: | Factory area | | | Risk Assessment Issue No. | Issue 1 | |
| Number of Persons at Risk: (anticipated in each category) | EMP | CON | PUB | VIS | Assessed By: | CG | Assessed on Site By: | CG | Duration of Task | Varies |
| | 30 | 0 | 0 | 0 | Date of Assessment: | 21.10.2020 | Date of Site Assessment | 21.10.2020 | Review Cycle | Where circumstances dictate |

Code: Persons at Risk **EMP** – Employee

| Hazard Ref. No. | Hazard | Foreseeable Risks | Personal Protective Equipment Control Measures |
|-----------------|----------------|----------------------------|---|
| 1 | Noise Exposure | Noise Induced Hearing Loss | <p>Hearing Protection provided to operatives (General Overall Protection)</p> <p>3M EA RSoftFX SNR 30db (EN352-2-2002)</p> <p>Hearing Protection provided to operatives (Machine user Specific Protection)</p> <p>3M Peltor Optime 3 540A SNR 35db (EN352-2-2002)</p> |



IF THE RISK RATING (RR) IS ABOVE 16 WORK WILL NOT BE ALLOWED TO PROCEED UNTIL CONTROL MEASURES ARE REVIEWED AND REDUCED

Risk Rating (RR)

Severity (S) x Probability (P)

Low Risk = 1-8

Medium Risk = 9-15

High Risk 16-25

Risk Assessment

Personal Protective Equipment

| | | Probability of Incident occurring | | | | |
|------------------|-----------------------|-----------------------------------|---------------|-------------------|---------------|-----------------|
| | | Frequent = 5 | Likely = 4 | Occasional = 3 | Seldom = 2 | Unlikely = 1 |
| Severity Of Harm | Fatality = 5 | 25 | 20 | 15 | 10 | 5 |
| | Major Injury = 4 | 20 | 16 | 12 | 8 | 4 |
| | Reportable to HSE = 3 | 15 | 12 | 9 | 6 | 3 |
| | Minor Injury = 2 | 10 | 8 | 6 | 4 | 2 |
| | First Aid applied = 1 | 5 | 4 | 3 | 2 | 1 |

| | | | | | | | | | | |
|--|--|------------|------------|--------------|---------------------|---------------------------|-------------------------|------------|------------------|-----------------------------|
| Site and Location of work: | Humphrey & Stretton - Stretton House, 20, Pindar Road, Hoddesdon, Herts – EN11 OEU | | | | | | Risk Assessment No. | RA0018 | | |
| Brief description of task or machine: | Personal Protective Equipment | | Location: | Factory area | | Risk Assessment Issue No. | Issue 1 | | | |
| Number of Persons at Risk: (anticipated in each category) | EMP | CON | PUB | VIS | Assessed By: | CG | Assessed on Site By: | CG | Duration of Task | Varies |
| | 30 | 0 | 0 | 0 | Date of Assessment: | 21.10.2020 | Date of Site Assessment | 21.10.2020 | Review Cycle | Where circumstances dictate |

Code: Persons at Risk **EMP** – Employee

| Hazard Ref. No. | Hazard | Foreseeable Risks | Personal Protective Equipment Control Measures |
|-----------------|------------|--|--|
| 2 | Eye Injury | Potential eye injuries due to general operational activities | Eye Protection (Glasses) provided to operatives (General Overall Protection) Uvex Astrospec (BSEN166) (BSEN170) Eye Protection (Goggles) provided to operatives (Heavy Duty Protection) Unbranded (BSEN166) (BSEN170) |



IF THE RISK RATING (RR) IS ABOVE 16 WORK WILL NOT BE ALLOWED TO PROCEED UNTIL CONTROL MEASURES ARE REVIEWED AND REDUCED

Risk Rating (RR)

Severity (S) x Probability (P)

Low Risk = 1-8

Medium Risk = 9-15

High Risk 16-25

Risk Assessment

Personal Protective Equipment

| | | Probability of Incident occurring | | | | |
|------------------|-----------------------|-----------------------------------|---------------|-------------------|---------------|-----------------|
| | | Frequent = 5 | Likely = 4 | Occasional = 3 | Seldom = 2 | Unlikely = 1 |
| Severity Of Harm | Fatality = 5 | 25 | 20 | 15 | 10 | 5 |
| | Major Injury = 4 | 20 | 16 | 12 | 8 | 4 |
| | Reportable to HSE = 3 | 15 | 12 | 9 | 6 | 3 |
| | Minor Injury = 2 | 10 | 8 | 6 | 4 | 2 |
| | First Aid applied = 1 | 5 | 4 | 3 | 2 | 1 |

| | | | | | | | | | | |
|--|--|------------|------------|--------------|---------------------|---------------------------|-------------------------|------------|------------------|-----------------------------|
| Site and Location of work: | Humphrey & Stretton - Stretton House, 20, Pindar Road, Hoddesdon, Herts – EN11 OEU | | | | | | Risk Assessment No. | RA0018 | | |
| Brief description of task or machine: | Personal Protective Equipment | | Location: | Factory area | | Risk Assessment Issue No. | Issue 1 | | | |
| Number of Persons at Risk: (anticipated in each category) | EMP | CON | PUB | VIS | Assessed By: | CG | Assessed on Site By: | CG | Duration of Task | Varies |
| | 30 | 0 | 0 | 0 | Date of Assessment: | 21.10.2020 | Date of Site Assessment | 21.10.2020 | Review Cycle | Where circumstances dictate |

Code: Persons at Risk **EMP** – Employee

| Hazard Ref. No. | Hazard | Foreseeable Risks | Personal Protective Equipment Control Measures |
|-----------------|---|--|--|
| 3 | Respiratory Hazards, (Wood Dusts) (Paints) (Solvents) | Ill Health due to Respiratory Inhalation | Respiratory (Half Mask Respirator) provided to Spraying operatives (General Respiratory Protection Vapours and Dusts) Moldex 743202 (With ABEK1P3 R) (EN14387) (EN140:1998) Respiratory (Dust Mask) provided to operatives (General Respiratory Protection Dusts) 3M8822 FFP2 (EN149:2001) |



IF THE RISK RATING (RR) IS ABOVE 16 WORK WILL NOT BE ALLOWED TO PROCEED UNTIL CONTROL MEASURES ARE REVIEWED AND REDUCED

Risk Rating (RR)

Severity (S) x Probability (P)

Low Risk = 1-8

Medium Risk = 9-15

High Risk 16-25

Risk Assessment

Personal Protective Equipment

| | | Probability of Incident occurring | | | | |
|------------------|-----------------------|-----------------------------------|---------------|-------------------|---------------|-----------------|
| | | Frequent = 5 | Likely = 4 | Occasional = 3 | Seldom = 2 | Unlikely = 1 |
| Severity Of Harm | Fatality = 5 | 25 | 20 | 15 | 10 | 5 |
| | Major Injury = 4 | 20 | 16 | 12 | 8 | 4 |
| | Reportable to HSE = 3 | 15 | 12 | 9 | 6 | 3 |
| | Minor Injury = 2 | 10 | 8 | 6 | 4 | 2 |
| | First Aid applied = 1 | 5 | 4 | 3 | 2 | 1 |

| | | | | | | | | | | |
|--|--|------------|------------|--------------|---------------------|---------------------------|-------------------------|------------|------------------|-----------------------------|
| Site and Location of work: | Humphrey & Stretton - Stretton House, 20, Pindar Road, Hoddesdon, Herts – EN11 OEU | | | | | | Risk Assessment No. | RA0018 | | |
| Brief description of task or machine: | Personal Protective Equipment | | Location: | Factory area | | Risk Assessment Issue No. | Issue 1 | | | |
| Number of Persons at Risk: (anticipated in each category) | EMP | CON | PUB | VIS | Assessed By: | CG | Assessed on Site By: | CG | Duration of Task | Varies |
| | 30 | 0 | 0 | 0 | Date of Assessment: | 21.10.2020 | Date of Site Assessment | 21.10.2020 | Review Cycle | Where circumstances dictate |

Code: Persons at Risk **EMP** – Employee

| Hazard Ref. No. | Hazard | Foreseeable Risks | Personal Protective Equipment Control Measures |
|-----------------|---------------|----------------------------------|---|
| 4 | Hand Injuries | Hand Injuries Hand Irritation | Hand Protection (General) provided to operatives Vinyl Gloves (EN14683) Latex (Non-Powder) (EN455) Latex (Powder) (EN420) Nitrile (EN374) Hand Protection (Heavy Duty) provided to operatives Juba Grip Latex Palm Coated (Yellow) (EN 388) |



IF THE RISK RATING (RR) IS ABOVE 16 WORK WILL NOT BE ALLOWED TO PROCEED UNTIL CONTROL MEASURES ARE REVIEWED AND REDUCED

Risk Rating (RR)

Severity (S) x Probability (P)

Low Risk = 1-8

Medium Risk = 9-15

High Risk 16-25

Risk Assessment

Personal Protective Equipment

| | | Probability of Incident occurring | | | | |
|---------------------|--------------------------|-----------------------------------|---------------|-------------------|---------------|-----------------|
| | | Frequent = 5 | Likely = 4 | Occasional = 3 | Seldom = 2 | Unlikely = 1 |
| Severity Of Harm | Fatality = 5 | 25 | 20 | 15 | 10 | 5 |
| | Major Injury = 4 | 20 | 16 | 12 | 8 | 4 |
| | Reportable to HSE = 3 | 15 | 12 | 9 | 6 | 3 |
| | Minor Injury = 2 | 10 | 8 | 6 | 4 | 2 |
| | First Aid applied = 1 | 5 | 4 | 3 | 2 | 1 |

| | | | | | | | | | | |
|--|--|------------|------------|--------------|---------------------|---------------------------|-------------------------|------------|------------------|-----------------------------|
| Site and Location of work: | Humphrey & Stretton - Stretton House, 20, Pindar Road, Hoddesdon, Herts – EN11 OEU | | | | | | Risk Assessment No. | RA0018 | | |
| Brief description of task or machine: | Personal Protective Equipment | | Location: | Factory area | | Risk Assessment Issue No. | Issue 1 | | | |
| Number of Persons at Risk: (anticipated in each category) | EMP | CON | PUB | VIS | Assessed By: | CG | Assessed on Site By: | CG | Duration of Task | Varies |
| | 30 | 0 | 0 | 0 | Date of Assessment: | 21.10.2020 | Date of Site Assessment | 21.10.2020 | Review Cycle | Where circumstances dictate |

Code: Persons at Risk **EMP** – Employee

| Hazard Ref. No. | Hazard | Foreseeable Risks | Personal Protective Equipment Control Measures |
|-----------------|----------------------------|-------------------------|--|
| 5 | Foot Injuries | Injuries to feet, Toes | Safety Footwear provided to operatives relevant British Standards with Anti slip sole and anti-puncture. |
| 6 | Splashing/ Dust Protection | Exposed to contaminates | Supertex SMS Disposable Cover Overall Type 5/6 provided to operatives. (EN13982-1) (EN13034) (EN1073-2 Class 2) |

