



IF THE RISK RATING (RR) IS ABOVE 16 WORK WILL NOT BE ALLOWED TO PROCEED UNTIL CONTROL MEASURES ARE REVIEWED AND REDUCED

Risk Rating (RR)

Severity (S) x Probability (P)

Low Risk = 1-8

Medium Risk = 9-15

High Risk 16-25

**Risk Assessment
RA005
Hydraulic Cold Press**

		Probability of Incident occurring				
		Frequent = 5	Likely = 4	Occasional = 3	Seldom = 2	Unlikely = 1
Severity Of Harm	Fatality = 5	25	20	15	10	5
	Major Injury = 4	20	16	12	8	4
	Reportable to HSE = 3	15	12	9	6	3
	Minor Injury = 2	10	8	6	4	2
	First Aid applied = 1	5	4	3	2	1

Hazard Identification and Assessment

Site and Location of work:	Humphrey & Stretton - Stretton House, 20, Pindar Road, Hoddesdon, Herts – EN11 OEU						Risk Assessment No.	RA005		
Brief description of work:	Hydraulic Cold Press		Location:	Factory Area		Risk Assessment Issue No.	Issue 1			
Number of Persons at Risk: (anticipated in each category)	EMP	CON	PUB	VIS	Assessed By:	CG/DH/SH	Assessed on Site By:	CG/DH/SH	Duration of Task	Varies
	2	0	0	0	Date of Assessment:	24.06.2020	Date of Site Assessment	24.06.2020	Review Cycle	Where circumstances dictate

Code: Persons at Risk **EMP** – Employee **CON** – Contractor **PUB** – Public **VIS** – Visitor

Hazard Ref. No.	Hazard	Foreseeable Risks	Without Controls			Control Measures	Methods of monitoring control measures	With Controls		
			S	P	RR SxP			S	P	RR SxP
1	Lowering of the platen	Injuries caused from the lowering of the platen.	4	2	8	Make sure that you keep away from the platen during the lowering and closing process.		4	1	4



IF THE RISK RATING (RR) IS ABOVE 16 WORK WILL NOT BE ALLOWED TO PROCEED UNTIL CONTROL MEASURES ARE REVIEWED AND REDUCED

Risk Rating (RR)

Severity (S) x Probability (P)

Low Risk = 1-8

Medium Risk = 9-15

High Risk 16-25

**Risk Assessment
RA005**

Hydraulic Cold Press

		Probability of Incident occurring				
		Frequent = 5	Likely = 4	Occasional = 3	Seldom = 2	Unlikely = 1
Severity Of Harm	Fatality = 5	25	20	15	10	5
	Major Injury = 4	20	16	12	8	4
	Reportable to HSE = 3	15	12	9	6	3
	Minor Injury = 2	10	8	6	4	2
	First Aid applied = 1	5	4	3	2	1

Site and Location of work:	Humphrey & Stretton - Stretton House, 20, Pindar Road, Hoddesdon, Herts – EN11 OEU						Risk Assessment No.	RA005		
Brief description of work:	Hydraulic Cold Press			Location:	Factory Area			Risk Assessment Issue No.	Issue 1	
Number of Persons at Risk: (anticipated in each category)	EMP	CON	PUB	VIS	Assessed By:	CG/DH/SH	Assessed on Site By:	CG/DH/SH	Duration of Task	Varies
	2	0	0	0	Date of Assessment:	24.06.2020	Date of Site Assessment	24.06.2020	Review Cycle	Where circumstances dictate

Code: Persons at Risk **EMP** – Employee **CON** – Contractor **PUB** – Public **VIS** – Visitor

Hazard Ref. No.	Hazard	Foreseeable Risks	Without Controls			Control Measures	Methods of monitoring control measures	With Controls		
			S	P	RR SxP			S	P	RR SxP
2	Slips, trips and lack of housekeeping standards	Injuries sustained due to slip and trip hazards	4	2	8	Make sure that good housekeeping measures are put in place to keep floor clear of potential hazards.		4	1	4
3	Untrained operative using the machine	Injuries that could be sustained due to operating the machine in an unsafe manner.	5	4	20	Only authorised trained personnel are permitted to using the machine.		5	1	5

**Risk Assessment
RA005**

HYDRAULIC COLD PRESS

SIGNING ON REGISTER

PERSONS IN ATTENDANCE DURING THE WORK- declaration

I, the undersigned, have read discussed and fully understand the above R.A.M.S. (Risk Assessment on the **HYDRAULIC COLD PRESS** and will adhere to all its method of working and conditions set down.

PRINT NAME	SIGNATURE	DATE

NOTE: -

All personnel in the work party must read, agree and sign the above prior to commencing the work.

If during the course of the work there are any changes to the method of work, the work must **stop** and a new R.A.M.S. produced in line with the method / conditions of work.