



FIRE RESISTANT TIMBER FIRE DOORS

Certificate number: IFCC 1097

Certificate only valid if verified on website – www.ifccertification.com

Issued by IFC Certification Ltd part of the Kiwa UK Group

This is to certify that

Humphrey & Stretton plc

**Pindar Road, Hoddesdon,
Hertfordshire,
EN11 0EU**

Tel: +44 (0)1992 462965

Who fabricate the following timber fire doors and or doorsets:

**Egger FD30. Moralt FD30, FD60.
Halspan FD30, FD60, FD90, FD120.
Strebord FD30, FD60. Flamebreak FD30, FD60.**

have satisfied the requirements of the SDP 01 Timber Fire Door scheme v3.8. This includes the testing of products to **BS476: Part 22: 1987**, the inspection of their Factory Production Control continuing surveillance audits and testing of samples of products taken from production. The product specification and field of application to achieve from **30 minutes to 120 minutes** integrity are detailed on page 2 of this certificate.

Initial Certification: 19 September 2014

Re-issued: 06 November 2024

Valid to: 18 September 2029

Issue No. 11

David Mowatt
Head of IFC Certification /
Kiwa Group Limited

*This certificate consists of 2 pages.
Publication of this certificate is permitted.*



The production of fire-resistant timber doorsets are manufactured in accordance with assessment/ test reports referenced within the following table:

Doorset Description	Fire Rating	Assessment/ Test Report
Egger Eurospan	FD30	Chilt/A13085
Moralt Laminesse Klassik & FireSmoke	FD30	PAR/14247/01, Chilt/A13058
Moralt Laminesse FireSmoke & FireSafe	FD30	PAR/12519/01, Chilt/A13058
Moralt Laminesse FireSmoke & FireSafe	FD60	PAR/12519/02, Chilt/A13059
Moralt Laminesse FireSound	FD30 & FD60	PAR/14559/01, WF409922
Moralt Laminesse FireSound	FD30 & FD60	PAR/21569/01
Halspan Prima	FD30	IFCA/06166
Halspan Prima	FD60	IFCA/06167
Halspan Optima	FD30	PAR/10341/01
Halspan Optima	FD60	PAR/10341/02
Halspan	FD90	PAR/10513/01
Halspan	FD120	PAR/10513/02
Strebord 44	FD30	Chilt/A02066
Strebord 54	FD60	Chilt/A02067
Flamebreak 30	FD30	FEA/F98164
Flamebreak 60	FD60	FEA/A02141

Signed on behalf of Kiwa UK

David Mowatt
Head of IFC Certification /
Kiwa Group Limited

The scope of the certification is limited to the details and parameters contained within these reports and all aspects of the specification and limitations defined therein must be satisfied.

It is the certificate holder's responsibility to ensure that the latest version/ revision of the above assessment reports are maintained as part of the audited FPC system.

Failure to comply with all specifications will invalidate the certification and may jeopardise the fire performance.



CERTIFICATE